Product Name: BioBlend® XP 22250 BioPolymer

Product No: BioBlend® XP 22250 Date: 30 November 2020



### **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product Name BioBlend® XP 22250 BioPolymer

**Common Names** BioBlend® XP 22250

Product Use BioPolymer resin for blowing film

Manufacturer BiologiQ, Inc.

3834 Professional Way Idaho Falls, ID 83402

**Emergency Number** 1-208-357-9650

## **SECTION 2. HAZARDS IDENTIFICATION**

**GHS Classification and Label Elements** 

Category Combustible Dust (OSHA Defined)

**Label Content** 

Pictogram Not required Signal word WARNING

Hazardous warnings May form combustible dust concentrations in air.

**Hazardous prevention** 

measures

Not required

Other Hazards

Physical / Chemical Hazards

Combustible Dust If small particles are generated during further

processing, handling, or by other means, may form

combustible dust concentrations in air.

**Health Hazards** 

Eye H320: Causes eye irritation. Particles may cause

mechanical irritation.

Skin Contact H316: Causes skin irritation. Only when hot.

Inhalation Low order of toxicity.

Ingestion No hazard in normal industrial use.

**Environmental Hazards**No significant hazard

NFPA Hazard ID Health: 1 Flammability: 1 Reactivity: 0

HMIS Hazard ID Health: 1 Flammability: 1 Reactivity: 0

BioBlend® XP 22250 BioPolymer Product Name:

Product No: BioBlend® XP 22250 Date: 30 November 2020



### **SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS**

CAS# **GHS Hazard Codes** Concentration Name N/A NuPlastiQ® GP BioPolymer LDPE Adhesive Resin N/A N/A Ethylene-butene copolymer 25087-34-7 -Additives < 0.5% N/A

As per paragraph (i) of 29 CFR 1910.1200, formulation is considered a trade secret and specific chemical identity and exact percentage composition will be provided to health professionals, employees, or designated representatives in accordance with applicable provision of paragraph (i).

### **SECTION 4. FIRST-AID MEASURES**

**Eye Contact** Flush eyes with large amounts of water until irritation

stops. Seek medical attention if irritation persists.

Wash with soap and water. **Skin Contact** 

> For hot product: immediately immerse in or flush affected area with large amounts of cold water to dissipate heat. Cover with clean cotton sheeting or gauze and get prompt

medical attention.

Inhalation Remove individual to fresh air.

Ingestion Not a probable route of exposure. However, in case of

accidental ingestion, call a physician.

# **SECTION 5. FIREFIGHTING MEASURES**

**Extinguishing Media** Dry chemical; CO<sub>2</sub>; Water fog; Foam

**Unsuitable Extinguishing Media** No applicable data available.

Specific Hazards Avoid generating dust; fine dust dispersed in air in

> sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Do

not permit dust to accumulate.

Self-contained breathing apparatus. **Protective Equipment** 

**Potentially Hazardous Combustion** 

**Products** 

Flammable hydrocarbons, aldehydes, ketones, incomplete combustion products, oxides of carbon,

smoke, fumes

Flammability Properties

Flash Point No data

Product Name: BioBlend® XP 22250 BioPolymer

Product No: BioBlend® XP 22250 Date: 30 November 2020



Flammability Limits LEL: N/D UEL: N/D

Auto-ignition Temperature N/A

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

**Safeguards** Avoid the generation or accumulation of dust in the air.

Good housekeeping practices should be used to avoid

dust build up.

**Spill Clean** Spilled material is a slipping hazard on hard surfaces.

Sweep or scoop up pellets and remove.

Spills of fine material should be cleaned using gentle sweeping or vacuuming. Cleaning methods (e.g. compressed air) which can generate potentially combustible dust clouds should not be used.

**Environmental Precautions**Combustible dust clouds should not be used.

Do not discharge to streams, ponds, lakes, or sewers.

Disposal Method In accordance with existing local/state/federal

regulations.

#### **SECTION 7. HANDLING AND STORAGE**

Handling Minimize dust generation and accumulation. Institute

routine housecleaning to ensure dust does not

accumulate on surfaces.

Pneumatic conveying and other mechanical handling operations can generate combustible dust. Avoid significant deposits of material which may become airborne and form combustible dust clouds. Handling this product may result in electrostatic accumulation. Use proper grounding procedures. Handling and processing operations should be conducted in accordance with best

practices (e.g. NFPA-654).

Loading/Unloading Temperature [Ambient]
Transport Temperature [Ambient]
Transport Pressure [Ambient]

**Storage** Store in cool dry place with adequate ventilation.

Storage Temperature [Ambient] Storage Pressure [Ambient]

Suitable Containers/Packing Bulk containers, bags. Store sealed to prevent moisture

absorption and decomposition.

Incompatible Materials Strong oxidizing agents.

Product Name: BioBlend® XP 22250 BioPolymer

Product No: BioBlend® XP 22250 Date: 30 November 2020



### **SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

Exposure limit values for materials that can be formed when handling this product

For dusty conditions, OSHA recommends for particulates not otherwise regulated, an 8-hour TWA of 15 mg/m3 (total dust), 5 mg/m3 (respirable fraction); ACGIH recommends for insoluble and poorly soluble particles not otherwise specified an 8-hour TWA of 10 mg/m3 (inhalable particles), 3 mg/m3 (respirable particles). NOTE: Limits/standards shown for guidance only. Follow applicable regulations.

Under recommended processing conditions, this material has been shown to emit elevated concentrations of glycerol mist (CAS 56-81-5). This may cause smoke and possible odor during processing. OSHA does not list glycerol mist as a hazardous material with specific exposure limits.

The level of protection and types of controls necessary will vary depending upon potential exposure conditions. Processors of this product should assure that adequate ventilation or other controls are used to control exposure.

**Personal Protection** 

**Engineering Controls** 

Hand Protection If product is hot, thermally protective, chemical resistant

gloves are recommended. If contact with forearms is likely, a long sleeve shirt or gauntlet-style gloves are

recommended.

Eye Protection If contact with hot material is likely, safety glasses with

side shields are recommended.

Skin and Body Protection If there is a potential for contact with hot product,

thermally protective clothing and footwear is

recommended.

Respiratory Protection If engineering controls do not maintain acceptable

airborne contaminate levels, an approved respirator may be appropriate. Typical type: Particulate air-purifying respirator approved for dust / oil mist is recommended.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

#### **General Information / Appearance**

Physical State Solid

Form Resin Pellets

Type Mixture

Color Opaque, off-white to tan

Product Name: BioBlend® XP 22250 BioPolymer

Product No: BioBlend® XP 22250 Date: 30 November 2020



Odor N/D
Odor Threshold N/D

Important Health, Safety, and Environmental Information

Relative Density N/A N/A pH as is N/A pH in 1% Solution **Boiling Point** N/A **Partition Coefficient** N/A Specific Gravity N/D **Evaporation Rate** N/A Vapor Pressure (mm Hg) N/A Vapor Density N/A Volatiles N/A Volatile Organic Compounds N/A **Auto-ignition Temperature** N/A

Flammability (solid, gas)

May form combustible dust concentrations in air.

Flash Point N/D
Upper Explosion Limit N/D
Lower Explosion Limit N/D
Decomposition Temperature N/D
Oxidizing Properties N/A
Viscosity N/A

Other Information

Freezing Point N/A

Melting Temperature N/A

Molecular Weight >10,000

Solubility in Water Low

**SECTION 10. STABILITY AND REACTIVITY** 

**Reactivity** 0 = Insignificant

**Stability** Material is stable under normal conditions.

Conditions to Avoid Avoid elevated temperatures for prolonged periods of

time.

Materials to Avoid Strong acids and oxidizing agents

Product Name: BioBlend® XP 22250 BioPolymer

Product No: BioBlend® XP 22250 Date: 30 November 2020



Hazardous Decomposition Products This product does not undergo spontaneous

decomposition.

Hazardous decomposition products may include but are not limited to: Carbon dioxide (CO2), Carbon monoxide,

Organic acids, Aldehydes, Alcohols, Acrolein,

Formaldehyde, Acetaldehydes

### **SECTION 11. TOXICOLOGICAL INFORMATION**

**Product Toxicology** 

Oral Toxicity

Dermal Toxicity

Inhalation Toxicity

Low order of toxicity

Non-hazardous

Non-hazardous

Eye Irritation Mechanical irritation is possible.

Chronic (Long-Term) Effects of Exposure

Route of Entry Eye, skin, inhalation, ingestion

Effects of chronic exposure None Target Organs N/A

Special Health Effects None known

Other Information

Dust May be irritating to the eyes and respiratory tract.

Regulatory Lists Searched NTP, IARC, OSHA CARC

#### **SECTION 12. ECOLOGICAL INFORMATION**

EcotoxicityN/DBiodegradabilityN/DBioaccumulative potentialN/DMobility in soilN/D

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal Recommendations** 

Waste Disposal Methods: In accordance with existing federal/state/local

environmental regulations.

Empty Containers: Empty container may contain product residue; follow SDS

and label warnings even after containers have been

emptied.

Product Name: BioBlend® XP 22250 BioPolymer

Product No: BioBlend® XP 22250 Date: 30 November 2020



### **SECTION 14. TRANSPORT INFORMATION**

Land (DOT)

Not regulated for land transport

Sea (IMDG)

Not regulated for sea transport

Air (IATA)

Not regulated for air transport

# **SECTION 15. REGULATORY INFORMATION**

**U.S. Regulations** 

SARA (311/312)

Reportable GHS Hazard Classes: Combustible Dust

SARA 313 title III This material contains no chemicals with known CAS

numbers that exceed the threshold levels required for

reporting.

TSCA Inventory List The components listed in section 3 are in compliance with

TSCA Inventory requirements for commercial purposes

**State Regulations** 

California Prop. 65 This product contains no known listed substances.

**International Inventories** 

Canada DSL Inventory List The components with known CAS numbers in Section 3

are listed.

China inventory of Existing

The components with known CAS numbers in Section 3

Chemical Substances list: are listed.

## **SECTION 16. OTHER INFORMATION**

Modified: 30 November 2020 Updated company address.

Modified: 25 February 2019 Updated naming from NuPlastiQ® XP to BioBlend® XP.

Created: 6 November 2018

N/D = Not determined, N/A = Not applicable

Key to The H-Codes Contained In Section 2 Of This Document (for information only):

H316: Causes skin irritation - only when hot.

Product Name: BioBlend® XP 22250 BioPolymer

Product No: BioBlend® XP 22250 Date: 30 November 2020



H320: Causes eye irritation. Particles may cause mechanical irritation.

This SDS covers the following BioBlend® XP BioPolymers: BioBlend® XP 22250 and BioBlend® XP 22251.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance to safe handling, use, processing storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.