Product Name: Product No: Date: BioBlend[®] XD 22622 BioPolymer BioBlend[®] XD 22622 30 May 2023



Product Name	BioBlend [®] XD 22622 BioPolymer
Common Names	BioBlend [®] XD 22622
Product Use	BioPolymer resin for blow molding
Manufacturer	Headquarters BiologiQ HK Room 401B, Energy Plaza, 92 Granville Road, Tsim Sha Tsui East, Kowloon, Hong Kong Manufacturing Block F, Phase 2, Early Light Int. Group, No. 26 Muxi Ave., Xilian Town, Wujiang Dist., Shaoguan City, Guangdong Province, China
Emergency Number	86-751-8828888 ext 2545
SECTION 2. HAZARDS IDEN	ITIFICATION
GHS Classification and Labe	
Category	Combustible Dust (OSHA Defined)
Label Content	
Pictogram	Not required
Cignal word	WARNING
Signal word	
Hazardous warnings	May form combustible dust concentrations in air.

Other Hazards

Physical / Chemical Hazards

Combustible Dust

Health Hazards

Eye

mechanical irritation.

If small particles are generated during further processing, handling, or by other means, may form

H320: Causes eye irritation. Particles may cause

combustible dust concentrations in air.

Product Name: Product No: Date:

BioBlend[®] XD 22622 BioPolymer BioBlend[®] XD 22622 30 May 2023



Skin Contact		H316: Causes skin irr	ritation. Only when hot.
Inhalation		Low order of toxicity.	
Ingestion		No hazard in normal ir	ndustrial use.
Environmental Ha	azards	No significant hazard	
NFPA Hazard ID	Health: 1	Flammability: 1	Reactivity: 0
HMIS Hazard ID	Health: 1	Flammability: 1	Reactivity: 0

SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS

Name	CAS #	Concentration	GHS Hazard Codes
NuPlastiQ [®] BioPolymer	0/10 //	-	N/A
Ethylene/hexene-1 copolymer		-	N/A
Impact Modifier		-	N/A

As per paragraph (i) of 29 CFR 1910.1200, formulation is considered a trade secret and specific chemical identity and exact percentage composition will be provided to health professionals, employees, or designated representatives in accordance with applicable provision of paragraph (i).

SECTION 4. FIRST-AID MEASURES	
Eye Contact	Flush eyes with large amounts of water until irritation stops. Seek medical attention if irritation persists.
Skin Contact	Wash with soap and water.
	For hot product: immediately immerse in or flush affected area with large amounts of cold water to dissipate heat. Cover with clean cotton sheeting or gauze and get prompt medical attention.
Inhalation	Remove individual to fresh air.
Ingestion	Not a probable route of exposure. However, in case of accidental ingestion, call a physician.

SECTION 5. FIREFIGHTING MEASURES

Extinguishing Media	Dry chemical; CO ₂ ; Water fog; Foam
Unsuitable Extinguishing Media	No applicable data available.
Specific Hazards	Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Do not permit dust to accumulate.

Product Name: Product No: Date: BioBlend[®] XD 22622 BioPolymer BioBlend[®] XD 22622 30 May 2023



Protective Equipment	Self-contained	breathing apparatus.
Potentially Hazardous Combustion Products	Flammable hydrocarbons, organic acids, aldehydes, alcohols, acrolein, maleic anhydride, formaldehyde, acetaldehydes, incomplete combustion products, oxide of carbon, smoke, fumes	
Flammability Properties		
Flash Point	No data	
Flammability Limits	LEL: N/D	UEL: N/D
Auto-ignition Temperature	N/A	

SECTION 6. ACCIDENTAL RELEASE MEASURES		
Safeguards	Avoid the generation or accumulation of dust in the air. Good housekeeping practices should be used to avoid dust build up.	
Spill Clean	Spilled material is a slipping hazard on hard surfaces.	
	Sweep or scoop up pellets and remove.	
	Spills of fine material should be cleaned using gentle sweeping or vacuuming. Cleaning methods (e.g. compressed air) which can generate potentially combustible dust clouds should not be used.	
Environmental Precautions	Do not discharge to streams, ponds, lakes, or sewers.	
Disposal Method	In accordance with existing local/state/federal regulations.	

SECTION 7. HANDLING AND STORAGE		
Handling	Minimize dust generation and accumulation. Institute routine housecleaning to ensure dust does not accumulate on surfaces.	
	Pneumatic conveying and other mechanical handling operations can generate combustible dust. Avoid significant deposits of material which may become airborne and form combustible dust clouds. Handling this product may result in electrostatic accumulation. Use proper grounding procedures. Handling and processing operations should be conducted in accordance with best practices (e.g. NFPA-654).	
Loading/Unloading Temperature	[Ambient]	
Transport Temperature	[Ambient]	
Transport Pressure	[Ambient]	

Product Name: Product No: Date: BioBlend[®] XD 22622 BioPolymer BioBlend[®] XD 22622 30 May 2023



Storage	Store in cool dry place with adequate ventilation.
Storage Temperature	[Ambient]
Storage Pressure	[Ambient]
Suitable Containers/Packing	Bulk containers, bags. Store sealed to prevent moisture absorption and decomposition.
Incompatible Materials	Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure limit values for materials that can be formed when handling this product	For dusty conditions, OSHA recommends for particulates not otherwise regulated, an 8-hour TWA of 15 mg/m3 (total dust), 5 mg/m3 (respirable fraction); ACGIH recommends for insoluble and poorly soluble particles not otherwise specified an 8-hour TWA of 10 mg/m3 (inhalable particles), 3 mg/m3 (respirable particles). NOTE: Limits/standards shown for guidance only. Follow applicable regulations.
	Under recommended processing conditions, this material has been shown to emit elevated concentrations of glycerol mist (CAS 56-81-5). This may cause smoke and possible odor during processing. OSHA does not list glycerol mist as a hazardous material with specific exposure limits.
Engineering Controls	The level of protection and types of controls necessary will vary depending upon potential exposure conditions. Processors of this product should assure that adequate ventilation or other controls are used to control exposure.
Personal Protection	
Hand Protection	If product is hot, thermally protective, chemical resistant gloves are recommended. If contact with forearms is likely, a long sleeve shirt or gauntlet-style gloves are recommended.
Eye Protection	If contact with hot material is likely, safety glasses with side shields are recommended.
Skin and Body Protection	If there is a potential for contact with hot product, thermally protective clothing and footwear is recommended.
Respiratory Protection	If engineering controls do not maintain acceptable airborne contaminate levels, an approved respirator may be appropriate. Typical type: Particulate air-purifying respirator approved for dust / oil mist is recommended.

Product Name: Product No: Date: BioBlend[®] XD 22622 BioPolymer BioBlend[®] XD 22622 30 May 2023



SECTION 9. PHYSICAL AND CHEM	ICAL PROPERTIES	
General Information / Appearance		
Physical State	Solid	
Form	Resin Pellets	
Туре	Mixture	
Color	Opaque, off-white to tan	
Odor	N/D	
Odor Threshold	N/D	
Important Health, Safety, and Envir	onmental Information	
Relative Density	N/A	
pH as is	N/A	
pH in 1% Solution	N/A	
Boiling Point	N/A	
Partition Coefficient	N/A	
Specific Gravity	N/D	
Evaporation Rate	N/A	
Vapor Pressure (mm Hg)	N/A	
Vapor Density	N/A	
Volatiles	N/A	
Volatile Organic Compounds	N/A	
Auto-ignition Temperature	N/A	
Flammability (solid, gas)	May form combustible dust concentrations in air.	
Flash Point	N/D	
Upper Explosion Limit	N/D	
Lower Explosion Limit	N/D	
Decomposition Temperature	N/D	
Oxidizing Properties	N/A	
Viscosity	N/A	
Other Information		
Freezing Point	N/A	
Melting Temperature	N/A	
Molecular Weight	>10,000	
Solubility in Water	Low	

Product Name: Product No: Date: BioBlend[®] XD 22622 BioPolymer BioBlend[®] XD 22622 30 May 2023



SECTION 10. STABILITY AND REACTIVITY		
Reactivity	0 = Insignificant	
Stability	Material is stable under normal conditions.	
Conditions to Avoid	Avoid elevated temperatures for prolonged periods of time.	
Materials to Avoid	Strong acids and oxidizing agents	
Hazardous Decomposition Products	This product does not undergo spontaneous decomposition.	
	Hazardous decomposition products may include but are not limited to: Carbon dioxide (CO2), Carbon monoxide, Organic acids, Aldehydes, Alcohols, Acrolein, Formaldehyde, Acetaldehydes.	


SECTION 11.	TOXICOLOGICAL INFORMATION

Product Toxicology				
Oral Toxicity	Low order of toxicity			
	Single dose oral LD50 has not been determined.			
	Typical for this family of materials.			
Dermal Toxicity	LD50, Rat, > 5,000 mg/kg Estimated. No adverse effects anticipated by skin absorption.			
	The dermal LD50 has not been determined.			
	Typical for this family of materials.			
Inhalation Toxicity	LD50, Rabbit, > 2,000 mg/kg Estimated. No adverse effects are anticipated from single exposure to dust. The LC50 has not been determined.			
Eye Irritation	Mechanical irritation is possible.			
Chronic (Long-Term) Effects of Exposure				
Route of Entry	Eye, skin, inhalation, ingestion			
Effects of chronic exposure	N/D			
Target Organs	N/A			

Polymer	Bio	Logi	
	S	mart Solutions Fo	or

A Sustainable World

Product Name: Product No: Date: BioBlend[®] XD 22622 BioPolymer BioBlend[®] XD 22622 30 May 2023



SECTION 12. ECOLOGICAL INFORMATION			
Ecotoxicity	N/D		
Biodegradability	N/D		
Bioaccumulative potential	N/D		
Mobility in soil	N/D		

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal Recommendations	
Waste Disposal Methods:	In accordance with existing federal/state/local environmental regulations.
Empty Containers:	Empty container may contain product residue; follow SDS and label warnings even after containers have been emptied.

SECTION 14. TRANSPORT INFORMATION		
Land (DOT)	Not regulated for land transport	
Sea (IMDG)	Not regulated for sea transport	
Air (IATA)	Not regulated for air transport	

SECTION 15. REGULATORY INFORMATION

U.S. Regulations		
SARA (311/312) Reportable GHS Hazard Classes:	Combustible Dust	
SARA 313 title III	This material contains no chemicals with known CAS numbers that exceed the threshold levels required for reporting.	

SECTION 16. OTHER INFORMATION

Product Name: Product No: Date: BioBlend[®] XD 22622 BioPolymer BioBlend[®] XD 22622 30 May 2023



Created: 12 July 2019

N/D = Not determined, N/A = Not applicable

Key to The H-Codes Contained In Section 2 Of This Document (for information only):

H316: Causes skin irritation - only when hot.

H320: Causes eye irritation. Particles may cause mechanical irritation.

This SDS covers the following BioBlend[®] XD BioPolymers: BioBlend[®] XD 22622.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance to safe handling, use, processing storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.