

Product Name: NuPlastiQ® GP 1200 BioPolymer

Product No: NuPlastiQ® GP 1200

Revision Date: 30 June 2022

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product Name NuPlastiQ® GP 1200 BioPolymer

Common Names NuPlastiQ® GP 1200

Product Use Compounding, extrusion, injection, forming, film blowing

Manufacturer BiologiQ, Inc.

3834 Professional Way Idaho Falls, ID 83402

Emergency Number 1-208-357-9650

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification and Label Elements

Category Combustible Dust (OSHA Defined)

Label Content

Pictogram Not required Signal word WARNING

Hazardous warnings May form combustible dust concentrations in air.

Hazardous prevention Not required

measures

Other Hazards

Physical / Chemical Hazards

Combustible Dust If small particles are generated during further

processing, handling or by other means, may form

combustible dust concentrations in air.

Health Hazards

Eye H320: Causes eye irritation. Particles may cause

mechanical irritation.

Skin Contact H316: Causes skin irritation. Only when hot.

Inhalation Low order of toxicity.

Ingestion No hazard in normal industrial use.

Environmental Hazards No significant hazard

NFPA Hazard ID: Health: 1 Flammability: 0 Reactivity: 0

HMIS Hazard ID: Health: 1 Flammability: 0 Reactivity: 0



Product Name: NuPlastiQ® GP 1200 BioPolymer

Product No: NuPlastiQ® GP 1200

Revision Date: 30 June 2022

SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS

Name CAS # Concentration GHS Hazard Codes

Hydrolyzed Starch 68412-29-3 - Non hazardous

Naturally Sourced Non hazardous

Plasticizer(s)

As per paragraph (i) of 29 CFR 1910.1200, formulation is considered a trade secret and specific chemical identity and exact percentage composition will be provided to health professionals, employees, or designated representatives in accordance with applicable provision of paragraph (i).

SECTION 4. FIRST-AID MEASURES

Eye Contact Flush eyes with large amounts of water until irritation

stops. Seek medical attention if irritation persists

Skin Contact Wash with soap and water.

For hot product: immediately immerse in or flush affected area with large amounts of cold water to dissipate heat.

Cover with clean cotton sheeting or gauze and get prompt

medical attention.

Inhalation Remove to fresh air.

Ingestion No adverse effects to ingestion are expected.

SECTION 5. FIREFIGHTING MEASURES

Extinguishing Media Dry chemical; CO2; Water fog; Foam

Unsuitable Extinguishing MediaNo applicable data available.

Specific Hazards Avoid generating dust; fine dust dispersed in air in

sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Do

not permit dust to accumulate.

Protective Equipment Self-contained breathing apparatus.

Decomposition products CO, CO₂, C, N, H₂0

Flammability Properties

Flash Point No data

Flammability Limits LEL: N/D UEL: N/D

Autoignition Temperature N/A



Product Name: NuPlastiQ® GP 1200 BioPolymer

Product No: NuPlastiQ® GP 1200

Revision Date: 30 June 2022

SECTION 6. ACCIDENTAL RELEASE MEASURES

Safeguards Avoid the generation or accumulation of dust in the air.

Good housekeeping practices should be used to avoid

dust build up.

Spill Clean Spilled material is a slipping hazard on hard surfaces.

Sweep or scoop up pellets and remove.

Spills of fine material should be cleaned using gentle sweeping or vacuuming. Cleaning methods (e.g. compressed air) which can generate potentially combustible dust clouds should not be used.

Environmental Precautions N/A

Disposal Method In accordance with existing local/state/federal regulations.

SECTION 7. HANDLING AND STORAGE

Handling Minimize dust generation and accumulation. Institute

routine housecleaning to ensure dust does not

accumulate on surfaces.

Pneumatic conveying and other mechanical handling operations can generate combustible dust. Avoid significant deposits of material which may become airborne and form combustible dust clouds. Handling and

processing operations should be conducted in accordance with best practices (e.g. NFPA-654).

Loading/Unloading Temperature [Ambient]

Transport Temperature [Ambient]
Transport Pressure [Ambient]

Storage Store in cool dry place with adequate ventilation.

Storage Temperature [Ambient]
Storage Pressure [Ambient]

Suitable Containers/Packing Bulk Containers, Bags. Store sealed to prevent moisture

absorption and decomposition.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Limit ValuesNo applicable data

Engineering ControlsAdequate ventilation should be provided so that exposure

is minimized during processing.

Personal Protection

Hand Protection If product is hot, thermally protective, chemical resistant



Product Name: NuPlastiQ® GP 1200 BioPolymer

Product No: NuPlastiQ® GP 1200

Revision Date: 30 June 2022

gloves are recommended. If contact with forearms is

likely, a long sleeve shirt or gauntlet style gloves is

recommended.

Eye Protection If contact with hot material is likely, safety glasses with

side shields are recommended.

Skin and Body Protection If there is a potential for contact with hot product,

thermally protective clothing and footwear is

recommended.

Respiratory Protection If engineering controls do not maintain acceptable

airborne contaminate levels, an approved respirator may be appropriate. Typical type: Particulate air-purifying respirator approved for dust / oil mist is recommended.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

General Information / Appearance

Physical State Solid

Form Resin Pellets

Type Mixture

Color Translucent, Tan
Odor Mild cereal odor
Odor Threshold No data available

Important Health, Safety, and Environmental Information

Relative Density

pH as is

N/A

pH in 1% Solution

N/A

Boiling Point

N/A

Partition Coefficient

N/A

Specific Gravity 1.4 +/- 0.03 gm/cc

Evaporation Rate N/A
Vapor Pressure (mm Hg) N/A
Vapor Density N/A
Volatiles None
Volatile Organic Compounds N/A
Auto ignition Temperature N/A

Flammability (solid, gas) May form combustible dust concentrations in air.

Flash Point N/D



Product Name: NuPlastiQ® GP 1200 BioPolymer

Product No: NuPlastiQ® GP 1200

Revision Date: 30 June 2022

Upper Explosion Limit N/D
Lower Explosion Limit N/D
Decomposition Temperature N/D
Oxidizing Properties N/A
Viscosity N/A

Other Information

Freezing Point N/A

Melting Temperature 160°C

Molecular Weight >10,000

Solubility in Water Low

SECTION 10. STABILITY AND REACTIVITY

Reactivity 0 = Insignificant (NFPA Hazard Class) **Stability** Material is stable under normal conditions.

Conditions to Avoid None
Materials to Avoid None

Hazardous Decomposition Products This product does not undergo spontaneous

decomposition.

Typical combustion products are CO, CO₂, C, N, H₂0

SECTION 11. TOXICOLOGICAL INFORMATION

Product Toxicology

Oral Toxicity

Dermal Toxicity

Inhalation Toxicity

Eye Irritation

Low order of toxicity

Non-hazardous

Non-hazardous

Non-hazardous

Chronic (Long-Term) Effects of Exposure

Route of Entry Eye, skin, inhalation, ingestion

Effects of chronic exposure None
Target Organs N/A

Special Health Effects None known

Regulatory Lists Searched NTP, IARC, OSHA CARC



Product Name: NuPlastiQ® GP 1200 BioPolymer

Product No: NuPlastiQ® GP 1200

Revision Date: 30 June 2022

SECTION 12. ECOLOGICAL INFORMATION

Biodegradability N/D

Incinerability Incinerable

Toxic VolatilesNone expected with complete combustion

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal Recommendations

Waste Disposal Methods: In accordance with existing federal/state/local

environmental regulations.

Empty Containers: Empty container may contain product residue; follow SDS

and label warnings even after containers have been

emptied.

SECTION 14. TRANSPORT INFORMATION

Land (DOT)

Not regulated for Land Transport

Sea (IMDG)

Not regulator for Sea Transport

Air (IATA)

Not regulated for Air Transport

SECTION 15. REGULATORY INFORMATION

U.S. Regulations

SARA 313 title III Not Listed
TSCA Inventory List Listed

State Regulations

Proposition 65 listed material Not Listed

International Inventories

California Prop. 65 Not Listed

EU EINECS List The components of this product listed in Section 3 are

listed

China inventory of Existing

Listed

Chemical Substances list:

SECTION 16. OTHER INFORMATION



Product Name: NuPlastiQ® GP 1200 BioPolymer

Product No: NuPlastiQ® GP 1200

Revision Date: 30 June 2022

Created: 30 June 2022

N/D = Not determined, N/A = Not applicable

Temperature: Material will soften above ambient temperatures and melt at temperatures above 160°C.

This SDS covers the following NuPlastiQ® GP BioPolymers: NuPlastiQ® GP 1200.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance to safe handling, use, processing storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.